


NETWORK COMMUNICATION SOLUTIONS

CAT6 iPORT SERIES

CAT6 GIGABIT ETHERNET PATCH PANELS



TTAF ELEKTRONİK Category 6 Series Patch Panels are available in 6-8-12-24 and 48-Port, loaded and unloaded versions. With Professional structure desing, our Category 6 UTP patch panels are extremely durable for punching down strongly. With 110 and dual type IDC desing , accepts 110 Krone type punch down tools, and 23-26 AWG solid and stranded UTP cables . Writable & erasable marking surfaces for each port on the front panel for efficient system management.

APPLICATION

- » 10BASE-TX Ethernet
- » 100BASE-TX Fast Ethernet
- » 1000BASE-TX Fast Ethernet
- » 250 MHz and above
- » Voice, Video and other applications.

ELECTRICAL SPECIFICATIONS

- » Dielectric Strength: 1000 V RMS for 1 min
- » Insulation Resistance: 10MΩ min
- » Contact Resistance: 20 mΩ max
- » Storage Temperature: -40 °C to +70 °C max
- » Operating Temperature: -20 °C to +60 °C max
- » Humidity: 10 %- 65%
- » Imbalance Input/Output Resistance : 200 m Ohm max.
- » Isolation Resistance : 500 Mega Ohm min. @500 Vdc
- » DC Resistance : 0.1 Ohm max @20 °C
- » EMC Standarts: EN-55022 Class B, FCC Part 15 Subpart J Class A

CERTIFICATES AND TEST NUMBERS

- » UL CODE: Patch panels shall be UL Listed under file number E357669
- » 3P CODE: P/N TTAF Attestation of Conformity No.113796
- » ETL Conformity No: 101069064CRT-001e



Art No	Product Description
FO-SP-3000-12PC6	12 Port Cat6 Patchpanel (Unloaded / Keystone Jack - Modular Type)
FO-SP-3000-24PC6	24 Port Cat6 Patchpanel (Unloaded / Keystone Jack - Modular Type)
FO-SP-3000-48PC6	48 Port Cat6 Patchpanel (Unloaded / Keystone Jack - Modular Type)
FO-SP-3000-12PC6L	12 Port Cat6 Patchpanel (Loaded / Keystone Jack - Modular Type)
FO-SP-3000-24PC6L	24 Port Cat6 Patchpanel (Loaded / Keystone Jack - Modular Type)
FO-SP-3000-48PC6L	48 Port Cat6 Patchpanel (Loaded / Keystone Jack - Modular Type)